

Solve each problem.

- A bottle of home-made cleaning solution took $3\frac{1}{2}$ milliliters of lemon juice. If Gwen wanted to make $2\frac{1}{3}$ bottles, how many milliliters of lemon juice would she need?
- A single box of thumb tacks weighed $2\frac{1}{4}$ ounces. If a teacher had $3\frac{2}{4}$ boxes, how much would their combined weight be?
- An old road was $3\frac{1}{2}$ miles long. After a renovation it was $1\frac{1}{2}$ times as long. How long was the road after the renovation?
- A bag of strawberry candy takes $1^{2}/4$ ounces of strawberries to make. If you have $2^{2}/4$ bags, how many ounces of strawberries did it take to make them?
- A new washing machine used $3\frac{3}{4}$ gallons of water per full load to clean clothes. If Adam washed $1\frac{2}{5}$ loads of clothes, how many gallons of water would be used?
- A batch of chicken required $2\frac{1}{2}$ cups of flour. If a fast food restaurant was making $2\frac{1}{2}$ batches, how much flour would they need?
- A package of paper weighs $2^{2}/_{3}$ ounces. If Cody put $3^{4}/_{5}$ packages of paper on a scale, how much would they weigh?
- Maria had 3 full cement blocks and one that was $\frac{4}{5}$ the normal size. If each full block weighed $1\frac{1}{2}$ pounds, what is the weight of the blocks Maria has?
- A bottle of sugar syrup soda had $2\frac{1}{2}$ grams of sugar in it. If Ned drank 1 full bottles and $\frac{2}{3}$ of a bottle, how many grams of sugar did he drink?
- Bianca can read $3\frac{1}{3}$ pages of a book in a minute. If she read for $2\frac{2}{3}$ minutes, how much would she have read?
- A baby frog weighed $1\frac{1}{5}$ ounces. After a month it was $2\frac{1}{4}$ times as heavy, how much did the frog weigh after a month?
- Robin needed a piece of string to be exactly $1\frac{1}{4}$ feet long. If the string she has is $1\frac{1}{2}$ times as long as it should be, how long is the string?

www.CommonCoreSheets.com

Answers

75 67

58



Solve each problem.

- A bottle of home-made cleaning solution took $3\frac{1}{2}$ milliliters of lemon juice. If Gwen wanted to make $2\frac{1}{3}$ bottles, how many milliliters of lemon juice would she need?
- 2) A single box of thumb tacks weighed $2\frac{1}{4}$ ounces. If a teacher had $3\frac{2}{4}$ boxes, how much would their combined weight be?
- An old road was $3\frac{1}{2}$ miles long. After a renovation it was $1\frac{1}{2}$ times as long. How long was the road after the renovation?
- 4) A bag of strawberry candy takes $1\frac{2}{4}$ ounces of strawberries to make. If you have $2\frac{2}{4}$ bags, how many ounces of strawberries did it take to make them?
- A new washing machine used $3\frac{3}{4}$ gallons of water per full load to clean clothes. If Adam washed $1\frac{2}{5}$ loads of clothes, how many gallons of water would be used?
- 6) A batch of chicken required $2\frac{1}{2}$ cups of flour. If a fast food restaurant was making $2\frac{1}{2}$ batches, how much flour would they need?
- 7) A package of paper weighs $2\frac{2}{3}$ ounces. If Cody put $3\frac{4}{5}$ packages of paper on a scale, how much would they weigh?
- Maria had 3 full cement blocks and one that was $\frac{4}{5}$ the normal size. If each full block weighed $1\frac{1}{2}$ pounds, what is the weight of the blocks Maria has?
- A bottle of sugar syrup soda had $2\frac{1}{2}$ grams of sugar in it. If Ned drank 1 full bottles and $2\frac{1}{3}$ of a bottle, how many grams of sugar did he drink?
- Bianca can read $3\frac{1}{3}$ pages of a book in a minute. If she read for $2\frac{2}{3}$ minutes, how much would she have read?
- A baby frog weighed $1\frac{1}{5}$ ounces. After a month it was $2\frac{1}{4}$ times as heavy, how much did the frog weigh after a month?
- Robin needed a piece of string to be exactly $1\frac{1}{4}$ feet long. If the string she has is $1\frac{1}{2}$ times as long as it should be, how long is the string?

Answers

- 1. $8\frac{1}{6}$
- $\frac{7^{14}}{16}$
 - $5\frac{1}{4}$
- $3^{12}/_{16}$
- $5. \qquad 5^{5}/_{20}$
- $_{6.}$ $6^{1}/_{4}$
- $_{7.}$ $10^{2}/_{15}$
- $5\frac{7}{10}$
- $4\frac{1}{6}$
- 10. **8**⁸/₉
- $2^{14}/_{20}$
- $1\frac{7}{8}$



Fraction Word Problems

Name:

Solve each problem.

61/4	5 ⁵ / ₂₀	3 ¹² / ₁₆	81/6	$10^{2}/_{15}$
$5^{7}/_{10}$	$5^{1}/_{4}$	$4^{1}/_{6}$	$7^{14}/_{16}$	88/9

- 1) A bottle of home-made cleaning solution took $3\frac{1}{2}$ milliliters of lemon juice. If Gwen wanted to make $2\frac{1}{3}$ bottles, how many milliliters of lemon juice would she need?
- 2) A single box of thumb tacks weighed $2\frac{1}{4}$ ounces. If a teacher had $3\frac{2}{4}$ boxes, how much would their combined weight be?
- An old road was $3\frac{1}{2}$ miles long. After a renovation it was $1\frac{1}{2}$ times as long. How long was the road after the renovation?
- A bag of strawberry candy takes $1\frac{2}{4}$ ounces of strawberries to make. If you have $2\frac{2}{4}$ bags, how many ounces of strawberries did it take to make them?
- A new washing machine used $3\frac{3}{4}$ gallons of water per full load to clean clothes. If Adam washed $1\frac{2}{5}$ loads of clothes, how many gallons of water would be used?
- 6) A batch of chicken required $2\frac{1}{2}$ cups of flour. If a fast food restaurant was making $2\frac{1}{2}$ batches, how much flour would they need?
- 7) A package of paper weighs $2\frac{2}{3}$ ounces. If Cody put $3\frac{4}{5}$ packages of paper on a scale, how much would they weigh?
- Maria had 3 full cement blocks and one that was $\frac{4}{5}$ the normal size. If each full block weighed $\frac{1}{2}$ pounds, what is the weight of the blocks Maria has?
- A bottle of sugar syrup soda had $2\frac{1}{2}$ grams of sugar in it. If Ned drank 1 full bottles and $2\frac{1}{3}$ of a bottle, how many grams of sugar did he drink?
- Bianca can read $3\frac{1}{3}$ pages of a book in a minute. If she read for $2\frac{2}{3}$ minutes, how much would she have read?

- 1. _____
- 2.
- 3. _____
- 4. _____
- 5. _____
- 6.
- 7. _____
- 8.
-). _____
- 10. _____